

RFQ No/ Project	
Reference Datasheet	
Equipment Tag Numbers	
Quantity	

CO₂ Absorber

& Pressure Vacuum Relief Valve



Certificates & Standards



Configuration

FLANGE FACE:

☐ RAISED FACE (RF)

☐ FLAT FACE (FF)

CONNECTION FLANGE:

☐ ANSI 150#

☐ DIN PN 10-16

☐ JIS 5K-10K

☐ BSP Female/Male

GASKET:

☐ NITRILE

☐ VITON

☐ PTFE

CARTRIDGE MATERIAL:

☐ S. STEEL 304

☐ S. STEEL 316/L

BODY MATERIAL:

☐ S. STEEL 304

☐ S. STEEL 316/L

HARDWARE MATERIAL:

☐ CARBON STEEL

☐ S. STEEL 304

☐ S. STEEL 316/L

☐ FLAME ARRESTER

☐ VRV

☐ PVRV

☐ LIFTING DEVICE
FILTER CARTRIDGES

☐ -GROUND TYPE

☐ -TOP OF THE TANK

SIZE:

☐ -1" ☐ -4" ☐ -10"

☐ -2" ☐ -6" ☐ -12"

☐ -3" ☐ -8" ☐ -16"

Configuration

AIR INLET DEVICE :
SET VALUE FOR VACUUM
*STANDART VALUE IS 2 mbar

PRESSURE VACUUM RELIEF VALVE:
SET VALUE FOR VACUUM
*STANDART VALUE IS 4 mbar
SET VALUE FOR PRESSURE
*STANDART VALUE IS 2,5 mbar

HEATING TRACING ☐
SKID SYSTEM ☐

CARTRIDGE CHANGE
PERIOD ☐
3 MONTHS ☐
6 MONTHS ☐
1 YEAR ☐

WORKING TEMPERATURE(°C):

MAXIMUM EMPTYING
& FILLING RATE(M³/HR):


☐ DIFFERENTIAL
PRESSURE GAUGE:

**BREATHING VALVES
MATERIALS:**

- ☐ S. STEEL 304
☐ S. STEEL 316/L
☐ ALUMINUM

☐ WINTERISATION PROTECTION

CO₂ Absorber Overall Sketch



Certificates & Standards





A.....
B.....
WEIGHT.....

Certificates & Standards



 sales@ergil.com +90 212 485 40 07 +90 212 485 4042 Ağaolu My Office 212 İş Merkezi

No:3 B Blok Kat:11 Ofis:175

PK 34218 Güneşli -Bağcılar /

İSTANBUL / TURKEY



Herzogspitalstraße 24
Munich 80331,
Germany
+49 (0) 89 1250 15240
sales@storagetech.de



Mahmutbey Mah. Taşocağı Yolu Cad.
Ağaoğlu My Office 212 İş Merkez
No:3 B Blok Kat:11 Ofis:175 P.K 34218
İstanbul / Türkiye
+90 212 485 40 07
sales@storagetech.de



Jumeirah Lake Towers, X2 Tower
1906 P.O. Box: 393168
Dubai, U.A.E.
Phone: +971 4 450 8051
sales@storagetech.de



Q1-14, The Business Quarter King
Faisal Road, Al Khalidiyyah Al
Janubiyah Dammam,
Saudi Arabia
Phone: +966(0)13 816 3441
sales@storagetech.de



AirGas Absorber

